	Type	Hits	Search Text	DBs	Time Stamp	Comments
142	BRS	83	(702/122.ccls. or 709/223,224,227,228,229,230.ccls. or 370/229,230,230.1,231,232, 401,912.ccls. or 713/200,201.ccls.) and firewall$1 with communication$1 with network$1 and (clos$3 or open$3) with (port$1 or wire$1 or pinhole$1 or channel$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	2005/09/28 15:43	
143	BRS	1037	clos$3 with port$1 with (tim$3 or duration$1 or interal$1) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:14	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
144	BRS	4	(702/122.ccls. or 709/223,224,227,228,229,230.ccls. or 370/229,230,230.1,231,232, 401,912.ccls. or 713/200,201.ccls.) and clos$3 with port$1 with (tim$3 or duration$1 or interal$1) with (threshold$1 or preselected or predefined or predetermined).	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:19	
145	BRS	76	delay$3 with clos$3 with port$1 with (tim$3 or duration$1 or interal$1) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:21	
146	BRS	135	delay$3 with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) with (tim$3 or duration$1 or interal$1) with (threshold$1 or preselected or predefined or predetermined).	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:21	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
147	BRS	0	(702/122.ccls. or 709/223,224,227,228,229,230.ccls. or 370/229,230,230.1,231,232, 401,912.ccls. or 713/200,201.ccls.) and delay$3 with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) with (tim$3 or duration$1 or interal$1) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:21	
148	BRS	2	("702"/$.ccls. or "709"/$.ccls. or "370"/$.ccls. or "713"/$.ccls.) and delay$3 with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) with (tim$3 or duration$1 or interal$1) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:24	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
149	BRS	2	("702"/$.ccls. or "709"/$.ccls. or "370"/$.ccls. or "713"/$.ccls.) and delay$3 same clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) with (tim$3 or duration$1 or interal$1) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:24	
150	BRS	3	("702"/$.ccls. or "709"/$.ccls. or "370"/$.ccls. or "713"/$.ccls.) and (congest$3 or latency or delay$3 or jam$4) same clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) with (tim$3 or duration$1 or interal$1) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:26	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
151	BRS	255	("702"/$.ccls. or "709"/$.ccls. or "370"/$.ccls. or "713"/$.ccls.) and (congest$3 or latency or delay$3 or jam$4) same clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and (tim$3 or duration$1 or interal$1) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:26	
152	BRS	15	("702"/$.ccls. or "709"/$.ccls. or "370"/$.ccls. or "713"/$.ccls.) and (congest$3 or latency or delay$3 or jam$4) same clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) same (tim$3 or duration$1 or interal$1) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:26	

Type	Hits	Search Text	DBs	Time Stamp	Comments
153 BRS	78	("702"/$.ccls. or "709"/$.ccls. or "370"/$.ccls. or "713"/$.ccls.) and (congest$3 or latency or delay$3 or jam$4) same clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and delay with (tim$3 or duration$1 or interal$1) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:27	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
154	BRS	33	("702"/$.ccls. or "709"/$.ccls. or "370"/$.ccls. or "713"/$.ccls.) and (congest$3 or latency or delay$3 or jam$4) with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and delay with (tim$3 or duration$1 or interal$1) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:29	
155	BRS	35	communication$1 with network$1 and (congest$3 or latency or delay$3 or jam$4) with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and delay with (tim$3 or duration$1 or interal$1) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:29	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
156	BRS	3	communication$1 with network$1 and firewall$1 and voice$1 and (congest$3 or latency or delay$3 or jam$4) with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and delay with (tim$3 or duration$1 or interal$1) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:30	
157	BRS	3	firewall$1 and voice$1 and (congest$3 or latency or delay$3 or jam$4) with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and delay with (tim$3 or duration$1 or interal$1) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:30	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
158	BRS	4	voip and (congest$3 or latency or delay$3 or jam$4) with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and delay with (tim$3 or duration$1 or interal$1) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:33	
159	BRS	3	voip and (congest$3 or latency or delay$3 or jam$4) with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and delay with (tim$3 or duration$1 or interal$1) same (alert$3 or alarm$1 or warn$3) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:34	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
160	BRS	18	(congest$3 or latency or delay$3 or jam$4) with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and delay with (tim$3 or duration$1 or interal$1) same (alert$3 or alarm$1 or warn$3) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:35	
161	BRS	19	(congest$3 or latency or delay$3 or jam$4) with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and delay$3 with (tim$3 or duration$1 or interal$1 or period$1) same (alert$3 or alarm$1 or warn$3) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:35	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
162	BRS	7	("702"/$.ccls. or "709"/$.ccls. or "370"/$.ccls. or "713"/$.ccls.) and (congest$3 or latency or delay$3 or jam$4) with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and delay$3 with (tim$3 or duration$1 or interal$1 or period$1) and (alert$3 or alarm$1 or warn$3) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:04	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
163	BRS	61	(congest$3 or latency or delay$3 or jam$4) with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and delay$3 with (tim$3 or duration$1 or interal$1 or period$1) and (alert$3 or alarm$1 or warn$3) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:50	
164	BRS	81	(congest$3 or latency or delay or delays or jam$4) with (terminat$3 or clos$3) with (port$1 or wire$1 or pinhole$1 or channel$1) and delay$3 with (tim$3 or duration$1 or interal$1 or period$1) and (alert$3 or alarm$1 or warn$3) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:51	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
165	BRS	6	(702/122.ccls. or 709/223,224,227,228,229,230.ccls. or 370/229,230,230.1,231,232, 401,912.ccls. or 713/200,201.ccls.) and delays with (terminat$3 or clos$3) with (port$1 or wire$1 or pinhole$1 or channel$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:54	
166	BRS	6	(702/122.ccls. or 709/223,224,227,228,229,230.ccls. or 370/229,230,230.1,231,232, 401,912.ccls. or 713/200,201.ccls.) and delays with (terminat$3 or clos$3) with (port$1 or wire$1 or pinhole$1 or channel$1 or pin adj holes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:55	
167	BRS	6	voip and delays with (terminat$3 or clos$3) with (port$1 or wire$1 or pinhole$1 or channel$1 or pin adj holes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:56	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
168	BRS	12	firewall$1 and delays with (terminat$3 or clos$3) with (port$1 or wire$1 or pinhole$1 or channel$1 or pin adj holes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:57	
169	BRS	32	firewall$1 and delay$1 same (terminat$3 or clos$3) with (port$1 or wire$1 or pinhole$1 or channel$1 or pin adj holes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 09:58	
170	BRS	0	("702"/$.ccls. or "709"/$.ccls. or "370"/$.ccls. or "713"/$.ccls.) and clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and (differen$2 odr compar$4) with (congest$3 or latency or delay$3 or jam$4) with (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:06	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
171	BRS	0	("702"/$.ccls. or "709"/$.ccls. or "370"/$.ccls. or "713"/$.ccls.) and open$3 with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and (differen$2 odr compar$4) with (congest$3 or latency or delay$3 or jam$4) with (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:06	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
172	BRS	3	("702"/$.ccls. or "709"/$.ccls. or "370"/$.ccls. or "713"/$.ccls.) and open$3 with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and (congest$3 or latency or delay$3 or jam$4) with (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:07	
173	BRS	3	voip and firewall$1 and open$3 with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and (congest$3 or latency or delay$3 or jam$4) with (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:12	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
174	BRS	5	firewall$1 and open$3 with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and (congest$3 or latency or delay$3 or jam$4) with (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:17	
175	BRS	3	firewall$1 and open$3 with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) same (congest$3 or latency or delay$3 or jam$4) with (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:18	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
176	BRS	3	firewall$1 and (congest$3 or latency or delay$3 or jam$4) with open$3 with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and (congest$3 or latency or delay$3 or jam$4) with (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:18	
177	BRS	3	firewall$1 and (congest$3 or latency or delay$3 or jam$4) with open$3 same clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and (congest$3 or latency or delay$3 or jam$4) with (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:19	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
178	BRS	3	communication$1 with network$1 and (congest$3 or latency or delay$3 or jam$4) with open$3 same clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and (congest$3 or latency or delay$3 or jam$4) with (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:19	

Type	Hits	Search Text	DBs	Time Stamp	Comments
		communication$1 same network$1 and (congest$3 or latency or delay$3 or jam$4) with open$3 same clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and (congest$3 or latency or delay$3 or jam$4) with (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)			
179 BRS	3		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:19	

Type	Hits	Search Text	DBs	Time Stamp	Comments
180 BRS	4	communication$1 same network$1 and (congest$3 or latency or delay$3 or jam$4) with (open$3 or clos$3) with (port$1 or wire$1 or pinhole$1 or channel$1) and (congest$3 or latency or delay$3 or jam$4) with (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:20	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
181	BRS	4	communication$1 and voice and network$1 and (congest$3 or latency or delay$3 or jam$4) with (open$3 or clos$3) with (port$1 or wire$1 or pinhole$1 or channel$1) and (congest$3 or latency or delay$3 or jam$4) with (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:21	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
182	BRS	5	(congest$3 or latency or delay$3 or jam$4) with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and delay$3 with (tim$3 or duration$1 or interal$1 or period$1) same (alert$3 or alarm$1 or warn$3) with (threshold$1 or preselected or predefined or predetermined) and voice$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:46	
183	BRS	19	(congest$3 or latency or delay$3 or jam$4) with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and delay$3 with (tim$3 or duration$1 or interal$1 or period$1) same (alert$3 or alarm$1 or warn$3) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:45	

Type	Hits	Search Text	DBs	Time Stamp	Comments
184 BRS	6	(congest$3 or latency or delay$3 or jam$4) with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and (congest$3 or latency or delay$3 or jam$4) with (alert$3 or alarm$1 or warn$3) with (threshold$1 or preselected or predefined or predetermined) and voice$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:48	

Type	Hits	Search Text	DBs	Time Stamp	Comments
185 BRS	0	(702/122.ccls. or 709/223,224,227,228,229,230.ccls. or 370/229,230,230.1,231,232, 401,912.ccls. or 713/200,201.ccls.) and (congest$3 or latency or delay$3 or jam$4) with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and (congest$3 or latency or delay$3 or jam$4) with (alert$3 or alarm$1 or warn$3) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:48	

9/29/05, EAST Version: 2.0.1.4

	Type	Hits	Search Text	DBs	Time Stamp	Comments
186	BRS	1	("702"/$.ccls. or "709"/$.ccls. or "370"/$.ccls. or "713"/$.ccls.) and (congest$3 or latency or delay$3 or jam$4) with clos$3 with (port$1 or wire$1 or pinhole$1 or channel$1) and (congest$3 or latency or delay$3 or jam$4) with (alert$3 or alarm$1 or warn$3) with (threshold$1 or preselected or predefined or predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:49	
187	IS&R	2	("6633582").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:50	
188	IS&R	2	("6792321").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 10:53	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
189	BRS	0	ednpoint$1 with media$1 and (congest$3 or latency or delay$3 or jam$4) same (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:38	
190	BRS	0	ednpoint$1 and (congest$3 or latency or delay$3 or jam$4) same (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:37	
191	BRS	460	communication$1 with network$1 and (congest$3 or latency or delay$3 or jam$4) same (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:37	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
192	BRS	39	communication$1 with network$1 and firewall$1 and (congest$3 or latency or delay$3 or jam$4) same (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:37	
193	BRS	3527	(congest$3 or latency or delay$3 or jam$4) same (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:38	
194	BRS	2233	(congest$3 or latency or delay$3 or jam$4) with (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:38	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
195	BRS	26	firewall$1 and (congest$3 or latency or delay$3 or jam$4) with (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:39	
196	BRS	0	firewall$1 and endpoint$1 and (congest$3 or latency or delay$3 or jam$4) with (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:55	
197	BRS	8	firewall$1 and (end-point$1 or end adj point$1 or endpoint$1) and (congest$3 or latency or delay$3 or jam$4) with (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:40	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
198	BRS	9	firewall$1 and (end-point$1 or end adj point$1 or endpoint$1) and (congest$3 or latency or delay$3 or jam$4) same (threshold$1 or preselected or predefined or predetermined) with (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 11:41	
199	BRS	11	firewall$1 and endpoint$1 and (congest$3 or latency or delay$3 or jam$4) with (clos$3 or terminat$3) with (port$1 or wire$1 or pinhole$1 or channel$1 or pin adj holes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 12:17	
200	BRS	37	firewall$1 and (congest$3 or latency or delay$3 or jam$4) with (clos$3 or terminat$3) with (port$1 or wire$1 or pinhole$1 or channel$1 or pin adj holes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 12:29	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
201	BRS	2	"20040001459"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 12:29	
202	BRS	215	communication$1 with network$1 and (measur$6 or monitor$3 or determin$4) with (delay$1 or congest$3 or jam$3) with (port$1 or wire$1 or pinhole$1 or channel$1) with (destinat$3 or end$3 or clos$3 or terminat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 13:04	
203	BRS	5	communication$1 with network$1 and firewall$1 and (measur$6 or monitor$3 or determin$4) with (delay$1 or congest$3 or jam$3) with (port$1 or wire$1 or pinhole$1 or channel$1) with (destinat$3 or end$3 or clos$3 or terminat$3) with (new or open$3 or source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/09/29 13:05	